

# AEGDL16017/AEGDL16018: AEG 8" 70W LED Recessed Downlight

**LED Source** 

8700 lm

Voltage

AC 100-240V

**Power** 

70W

Lifespan

40,000 hr

Warrantv

3 Years



- AEGDL16017/18 is a professional recessed downlight that uses COB LED technology, allowing high luminous efficacy
- It is characterized by excellent thermal management due to its cold forging pure aluminum heat sink.
- It is suitable for areas requiring high light output and heavy use, 24/7 operation, such as: hospitals, hotels and airports.

Model Number: AEGDL16017/ AEGDL16018

#### **Features:**

- COB technology
- Anti Glare Design
- Low UGR
- External Driver
- IP: 40
- Lifespan: 40,000 hr
- Warranty: 5 Years under normal use

3 Years under 24/7 use

### **Light Characteristics:**

- LED Source: 8,700 lm

- Lumen Efficacy: 125 lm/W

- Beam Angle: 60°

- CRI: >80

- Color Temperature:

Warm (2700K/3000K)

Neutral (4000K)

Cool (5000K)

### **Electrical Characteristics:**

- Power: 70W

Voltage: AC 100-240VFrequency: 50/60 Hz


- PF: 0.97

### **Heat Management:**


- Excellent Heat Management
- Cold Forging Pure Aluminum Heat Sink
- Thermal Conductivity Index 226W/MK
- Operating Temperature:  $-20^{\circ}\text{C} \rightarrow 50^{\circ}\text{C}$



# **Luminous Intensity Distribution Diagram**




### Lux Diagram





### **Dimensional Drawing:**



#### **Product Dimensions:**

- Diameter: 220 mm - Cut-off: 200 mm - Height: 175 mm

- Product Weight: 1.8 kg

## **Package Dimensions:**

Interior box size: 240x240x240 mmOuter CTN size: 495x495x500 mm

- QTY per CTN: 8 pcs - Weight/ CTN: 16 kg

Notes .....

- The working voltage for the product is 100-240V. Please make sure that the working voltage is 100-240V before you connect it to the power supply.
- Please check whether there is any damage caused by delivery before you use the products. If there is any flaw, please do not use and inform the supplier.
- Please follow the instructions and caution on the leaflet so as to ensure the safe usage and the good condition of product. Any damage or defect caused by failure that is warned on the leaflet is out of the supplier's responsibility.
- Suitable for indoor use only.